



*example illustration

adhesives for labeling

- ✓ based on casein
- ✓ for glass
- ✓ for paper / stanniol
- ✓ good resistance to ice water
- ✓ short setting time
- ✓ raw materials correspond to the FDA Directives 21 CFR 175.105.

product characteristics

The product is suitable for applying labels to treated and untreated glass surfaces. The adhesive has a very fast setting time and a high resistance to ice-water.

application notes

The temperature processing range is 28 - 35 °C. Before a different adhesive is to be used on the machine, it must be carefully cleaned.

storage

The product can be stored in its original sealed container for at least 6 months at room temperature after date of production - but not below +4 °C.

| characteristics | Innocoll KS EW 171 |
|-----------------|--------------------|
|-----------------|--------------------|

| | |
|-----------------|-------------------------------|
| viscosity, dyn. | 90.000 ± 15.000 mPas |
| colour | light beige |
| pH value | 7,0 ± 0,5 |
| density | 1,02 ± 0,03 g/cm ³ |

| container | packing size | material number |
|-----------|--------------|-----------------|
|-----------|--------------|-----------------|

| | | |
|---------|----|--------------|
| 33 kg | 18 | 301244607500 |
| 1050 kg | 1 | 301244607501 |
| 30 kg | 18 | 301244607580 |